Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





WATER SUPPLY OUTLOOK FOR NEVADA

Prepared by

U. S. DEPARTMENT of AGRICULTURE ★ SOIL CONSERVATION SERVICE

Collaborating with

NEVADA DEPARTMENT of CONSERVATION and NATURAL RESOURCES
DIVISION of WATER RESOURCES

Data included in this report were obtained by the agencies named above in cooperation with Federal, State and private organizations listed on the last page of this report.



TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS:

Most of the usable water in western states originates as mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snowpack.

Forecasts become more accurate as more of the data affecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season will interact with a resultant average effect on runoff. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent at surveyed and marked locations in mountain areas. A total of about ten samples are taken at each location. The average of these are reported as snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1900 snow courses in Western United States and in the Columbia Basin in British Columbia. Networks of automatic snow water equivalent and related data sensing devices, along with radio telemetry are expanding and will provide a continuous record of snow water and other parameters at key locations.

Detailed data on snow course and soil moisture measurements are presented in state and local reports. Other data on reservoir storage, summaries of precipitation, current streamflow, and soil moisture conditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and storage in larger reservoirs.

Snow survey and soil moisture data for the period of record are published by the Soil Conservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

PUBLISHED BY SOIL CONSERVATION SERVICE

The Soil Conservation Service publishes reports following the principal snow survey dates from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be obtained from Soil Conservation Service, Western Regional Technical Service Center, Room 209, 511 N. W. Broadway, Portland, Oregon 97209.

Copies of state and local reports may also be obtained from state offices of the Soil Conservation Service in the following states:

STATE	ADDRESS
Alaska	204 E. 5th. Ave., Room 217, Anchorage, Alaska 99501
Arizona	6029 Federal Building, Phoenix, Arizona 85025
Colorado (N. Mex.)	P. O. Box 17107, Denver, Colorado 80217
Idaho	Room 345, 304 N. 8th. St., Boise, Idaho 83702
Montana	P. O. Box 970, Bozeman, Montana 59715
Nevada	P. O. Box 4850, Reno Nevada 89505
Oregon	1218 S. W. Washington St., Portland, Oregon 97205
Utah	4012 Federal Bldg., 125 South State St., Salt Lake City, Utah 84111
Washington	360 U.S. Court House, Spokane, Washington 99201
Wyoming	P. O. Box 2440, Casper, Wyoming 82601

PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Water Supply Forecast and Snow Surveys Unit, California Department of Water Resources, P. O. Box 388, Sacramento, California 95802 --- and for British Columbia by the Department of Lands, Forests and Water Resources, Water Resources Service, Parliament Building, Victoria, British Columbia

CONSERVATION OF WA

WATER SUPPLY OUTLOOK FOR NEVADA

and
FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Issued by

KENNETH E. GRANT

ADMINISTRATOR SOIL CONSERVATION SERVICE WASHINGTON, D.C.

Released by

CHARLES A. KRALL

STATE CONSERVATIONIST SOIL CONSERVATION SERVICE RENO, NEVADA

In Cooperation with

ELMO J. DE RICCO

DIRECTOR
DEPARTMENT OF CONSERVATION AND
NATURAL RESOURCES
CARSON CITY, NEVADA


Report prepared by

DONALD W. McANDREW, Snow Survey Supervisor and

JOHN D. RODA, Assistant Snow Survey Supervisor
SOIL CONSERVATION SERVICE
P. O. BOX 4850
RENO, NEVADA

TABLE OF CONTENTS

WATER SUPPLY OUTLOOK FOR NEVADA	1 and 2
PROSPECTIVE WATER SUPPLY FOR NEVADA (Map)	3
INDEX OF NEVADA SNOW COURSES (By Basins)	4
NEVADA STREAMFLOW FORECASTS	5
SPECIAL FORECASTS AND SOIL MOISTURE MEASUREMENTS	6
STORAGE STATUS OF NEVADA RESERVOIRS	7
SNOW COURSE MEASUREMENTS	8
TELEMETERED NOWS DATA	9
LIST OF COOPERATORSInside Bac	k Cover
ALL AVERAGES ARE FOR 1953-67 PERIOD	



WATER SUPPLY OUTLOOK FOR NEVADA

AS OF MAY 1, 1973, THE WATER SUPPLY OUTLOOK CONTINUES TO BE ABOVE AVERAGE

THROUGHOUT NEVADA. THIS YEAR'S REMAINING MOUNTAIN SNOWPACK IS ABOVE AVERAGE

THROUGHOUT THE STATE AND THE SIERRA NEVADA WATERSHEDS AFFECTING NEVADA.

RESERVOIR STORAGE IS EXCELLENT, WITH MAJOR IRRIGATION RESERVOIRS HOLDING
134 PERCENT OF THE AVERAGE CARRYOVER STORAGE FOR THIS DATE.

STREAMFLOW FORECASTS ARE SIMILAR TO THOSE ISSUED LAST MONTH. THEY INDICATE

NEVADA'S WATER USERS WILL HAVE AN EXCELLENT IRRIGATION SEASON WITH ABOVE

AVERAGE FLOWS THAT ARE PREDICTED TO HOLD UP WELL INTO THE LATE SUMMER SEASON.

This year's remaining snowpack on Nevada's mountain watersheds ranges from 111 to 176 percent of average. Snow cover on the east slope of the Sierra is generally 25 to 40 percent above normal for this date. The Tahoe and Truckee watersheds have a 130 percent of average snowpack remaining as of the first of May. The Carson watershed is similar with a 127 percent snowpack, while the Walker River watershed still has 140 percent of normal snow conditions. Humboldt and Owyhee River drainages have 120 percent of average remaining snowpacks. High elevation areas in central and eastern Nevada still have a much above average snow cover, with nearly 175 percent of average remaining.

Reservoir storage is excellent, with major reservoirs holding 134 percent of average carryover storage. Last year at this time the reservoir storage quantities were very similar, with only 4 percent more carryover storage.

Irrigation reservoirs in the Truckee and Carson drainages all contain above average storage, with Lake Tahoe currently containing 562,000 acre-feet. Stored water in the Walker drainage has picked up this month and is now normal for this date. Rye Patch on the Humboldt and Wild Horse on the Owyhee are completely full and storing on flashboards above the dam's usual capacity.



Streamflow along the east slope of the Sierra is predicted to range from 120 percent on the West Carson River to 142 percent on the Little Truckee River, with all other stations in between. Streamflow in the Humboldt and Owyhee drainages is generally predicted to range between 115 and 135 percent of normal. Small streams in the Surprise Valley are forecast to produce 25 to 50 percent of average this summer.


The Virgin River at the Virgin, Utah, station is forecast to flow 65,000 acre-feet, which is 295 percent of average. This is just under the flows experienced during the 1952 and 1969 seasons.

Small streams throughout central and eastern Nevada will also produce the best flows **s**ince the 1969 season.





PROSPECTIVE WATER SUPPLY FOR NEVADA



INDEX TO NEVADA SNOW COURSES (By Basins)

Refer to the map on the preceeding page for Snow Course locations.

NUMBER	NAME	SEC.	TWP.	RGE.	ELEV.	1	NUMBER	NAME	SEC. T
CNAK	SNAKE RIVER	BAS	IN			*		TAHOE .	
15H1MA 15H2 15H13A 15H15A 14H1 15H2Oa 15H14A 15H18a 15H3A 15H3A	Goat Creek	13 15 6	46N 46N 45N 42N 46N 46N 47N 47N 41N	58E 58E 60E 60E 62E 54E 59E 61E 58E 58E	7800 6800 8800 8945 7000 7000 8330 7940 7100 7800		20L5 19L5 19K6 19L3MSZ 20L4 19K4MSTZ 20L3 20L1 20L2 20K16 19L1 20K17M 20K25STZ 20K27	Echo Summit (Cal.) Freel Bench (Cal.) Glenbrook #2 Hagans Meadow (Cal.) Lake Lucille (Cal.) Marlette Lake Richardsons #2 (Cal.) Rubicon #1 (Cal.) Rubicon #2 (Cal.) Tahoe City (Cal.) Upper Truckee (Cal.) Ward Creek (Cal.) Ward Creek #2 (Cal.) Tahoe City (Cal.)	6 1 36 1 36 1 38 1 8 1 6 1 6 1 6 1 21 1 21 1
15H4MP	Big Bend	30		56E	6700			KEE RIVER	
16H6a 16H8a 15H5 16H1M 16H2Á 16H4 16H5 17G4a 15H9MP	Fawn Creek Gold Creek, Jack Creek, Lower Jack Creek, Upper Jacks Peak Laurel Oraw Louse Canyon (Oreg.) Taylor Canyon	18 9 28 20 27 35	44N 45N 45N 42N 42N 42N 45N 40S 39N	53E 52E 56E 53E 53E 53E 53E 44E 53E	6650 7000 6600 6800 7250 8420 6700 6440 6200		20K14 20K22 20K21 20K10 20K7* 20K8* 19L24S 20K4MSTPZ	Boca #2 (Cal.) Brockway Summit (Cal.) Oonner Park #2 (Cal.) Oonner Summit (Cal.) Fordyce Lake (Cal.) Furnace Flat (Cal.) Heavenly Valley (Cal.) Independence Camp (Cal.)	28 1 3 1 18 1 25 1 34 1 10 1 1 1 34 1
UDDE	INTERIO	R					20K3 20K5 19K3	Independence Creek (Cal.) Independence Lake (Cal.) Little Valley	14 1 9 1 17 1
15J17a 15J12A 15J1MP 15J3 15H7 15J9MP	Ory Creek Fry Canyon Green Mountain	32 27 28 5 31 23	31 N 28 N 35 N 34 N 43 N 29 N	58E 57E 60E 60E 54E 57E	7800 8500 8100 6500 6700 8000		19K2 19K7 20K6 20K19 20K13M 20K2* 20K1*	Mt. Rose Mt. Rose Ski Area Sage Hen Creek (Cal.) Squaw Valley #2 (Cal.) Truckee #2 (Cal.) Webber Lake (Cal.) Webber Peak (Cal.)	7 1 30 1 7 1 6 1 22 1 29 1 30 1
15J10 15J11 15J4	Harrison Pass #1 Harrison Pass #2 Lamoille #1	9 16 1 5	28N 28N 32N	57E 57E 58E	6600 7400 7100		CARS	ON RIVER	
15J5 15J6M 15J7 15J8P 15J18a 15J16a 15J16MP 15J2 15J8	Lamoille #2 Lamoille #3 Lamoille #4 Lamoille #5 Pole Canyon Robinson Lake Roded Flat	14 24 19 31 31 23 36 1	32N 32N 32N 32N 35N 35N 33N 43N 34N	58E 58E 59E 59E 61E 59E 59E 59E 53E 59E	7200 7700 8000 8700 9140 9200 6800 5800 5700		19L5 19L4 19K5 19L19a 19L16a 19L06a 19L18AS 19L20a	Blue Lakes (Cal.) Carson Pass, Upper (Cal.) Clear Creek Ebbetts Pass (Cal.) Fish Valley, Upper (Cal.) Poison Flat (Cal.) Wet Meadows Lake (Cal.) Wolf Creek (Cal.)	30 22 6 17 1 25 26 35
15H10P 15H11A	Trout Creek, Lower Trout Creek, Upper	28 4	37N 36N	61E 61E	6900 8500		WALK 19L11	ER RIVER	20
LOWE	R HUMBOLOT RIVER						19L10 19L12A	Buckeye Forks (Cal.) 8uckeye Roughs (Cal.) Center Mountain (Cal.)	15 4
17K1 17K2 17K3 17H3 17H1 17L1 17L2 17J2 17J4 17H4 17H5	Big Creek Camp Ground Big Creek, Upper Buckskin, Lower Buckskin, Upper Corral, Lower Corral, Upper Golconda #2 Granite Peak Lamance Creek	23	17N 17N 45N 45N - 11N 11N 35N 44N 42N	43E 43E 43E 39E 39E 40E 41E 39E 39E 38E	6600 7600 7800 6700 8200 7500 8000 6000 7800 6000		19L8 19L17a 19L7M 19L23STPZ 19M1* 19L13 19L22MSZ 19L9	Leavitt Meadows (Cal.) Lobdell Lake (Cal.) Sonora Pass (Cal.) Sonora Pass 8ridge Tioga Pass (Cal.) Virginia Lakes (Cal.) Virginia Lakes Ridge Willow Flat (Cal.)	4 20 1 6 30 5 32 21
17H3 16H3AP 16H7	Martin Creek Midas Toe Jam a	18 18 29	44N 39N 40N	40E 46E 50E	6700 7200 7700		LOWE	R COLORAGO RIVER	Ū
	ERN NEVAOA						15N5 15N4	Kyle Canyon Lee Canyon #1 Lee Canyon #2	27 1 10 1 9 1
14L1 14L2 14L2 14K2 14K1 15J15 14K8 14K8 15K1 14K7 14K7	Baker #1 Baker #2 Baker #3 Berry Creek Bird Creek Hole-In-Mountain Kalamazoo Creek Murray Summit Robinson Summit Silver Creek #2 Ward Mountain #2	29 30 25 26 34 6 34 25 34 25	13N 13N 13N 17N 19N 35N 20N 16N 18N 16N	69E 69E 68E 65E 65E 61E 62E 61E 62E 69E	7950 8950 9250 9100 7500 7900 7400 7250 7600 8000 8900		15N3 15N8 14M1 14M2 15N7 15L1	Lee Canyon #3 Mathew Canyon Pine Canyon Rainbow Canyon #2 White River #1	10 10 23 6 2 31 1
CENT	RAL GREAT BASIN								
18M2 18M5a 15N2 18M1 18M3a 18M4a 15N1	Campito Mountain (Cal.) Chiatovich Flat Clark Canyon Montgomery Pass Pinchot Creek Piute Pass (Cal.) Trough Springs	19 32 8 4 28 33 23	5S 2S 19S 1N 1N 4S	34E 56E 33E 33E	10200 10500 9000 7100 9300 11700 8500				
NORT	HERN GREAT BASIN							LEGENO NUMBERING SYSTEM (EXAF	MPLE)
19H1 20H5 20H6 18G6a 18H1 20H3a 20H7 19H3 19H2 19H4a 20H9 20H10 17G5a 17H6a 20H4	Bald Mountain Barber Creek (Cal.) Cedar Pass (Cal.) Oenio Creek (Oreg.) Oisaster Peak Oismal Swamp (Cal.) Eagle Peak (Cal.) 49-Mountain Hays Canyon Little Bally Mountain Mt. Bidwell North Star Oregon Canyon (Oreg.) Quinn Ridge Reservation Creek (Cal.) Trout Creek (Oreg.)	17 23 12 14 8 31 35 7 1 8 6 13 9	45N 39N 43N 41S 47N 48N 40N 42N 39N 45N 47N 47N 47N 40S 47N	21E 16E 14E 34E 34E 17E 19E 19E 16E 16E 40E 41E	6720 6500 7100 6000 6500 7000 7200 6000 6400 7200 6200 7240 6300 5900		19K4S SM 19K4M SM 19K4M SM 19K4P SM 19K4MA SM 19K4MP SM 19K4STZ SM Te Lower case only a Soil tation Gage	tow Course Only tow Course and Snow Pillow tow Course and Snow Pillow tow Course and Aerial Marker tow Course and Storage Preci; tow Course, Soil Moisture and tow Course, Snow Pillow and i tlemetered. Letters M, a, p, s, t, z, ir Moisture Station, Aerial MG, Snow Pillow, Temperature,	pitation d Aerial d Precip Temperat ndicate arker, S
18G5a	Trout Creek (Ureg.)	10	415	38E	7800		Located	l on adjacent watershed	

TWP. RGE. ELEV. 11N 12N 14N 12N 12N 15N 13N 13N 15N 15N 15N 15N 18E 18E 18E 17E 19E 17E 17E 17E 16E 16E 16E 7450 7300 6900 8000 8200 8000 6500 8100 7500 6250 6400 7000 6750 6750 5900 7100 6000 6900 6500 6700 8850 7000 6500 8450 6300 9000 6500 6500 6500 7500 6400 7000 8000 18N 17N 17N 17N 18N 12N 19N 19N 16N 17N 18N 15N 17N 19N 19N 17E 16E 14E 13E 13E 15E 15E 19E 19E 16E 16E 14E 14E 9N 10N 14N 8N 7N 8N 9N 8N 19E 18E 19E 20E 22E 21E 19E 20E 8000 8600 7300 8700 8050 7900 8100 8000 4N 4N 5N 7N 5N 5N 1N 2N 3N 5N 23E 23E 23E 22E 24E 21E 22E 25E 25E 25E 23E 8500 7900 9400 7200 9200 8800 8800 9900 9500 9200 8250 8200 8400 9200 8500 6000 6200 8100 7400 19S 19S 19S 19S 6S 6S 20S 13N 56E 56E 56E 70E 69E 57E 59E

19K4	Snow Course Only
19K4S	Snow Course and Snow Pillow
19K4M	Snow Course and Soil Moisture
19K4A	Snow Course and Aerial Marker
19K4P	Snow Course and Storage Precipitation Gage
19K4MA	Snow Course, Soil Moisture and Aerial Marker
19K4MP	Snow Course, Soil Moisture and Precipitation Gage
19K4STZ	Snow Course, Snow Pillow and Temperature Radio
	Telemetered.

e no snow course, Storage Precipi-dio Telemetered.

^{*}Located on adjacent watershed

STREAMFLOW FORECASTS (Thousand Acre Feet) as of: May 1, 1973

Forecasts are based on snow-water presently stored in the mountain watersheds and the assumption that precipitation will be near average throughout the forecast period. Peak flow forecasts indicate the most probable range for the maximum average 24-hour flow. All averages are for 1953-67 period.

FORECAST POINT	Forecast Period	Porecast This Year	This Year as Percent of Average	Average +
TRUCKEE RIVER				
Little Truckee River above Boca, CA ¹	May-July	84	142	59
Truckee River at Farad, CA	May-July	255	135	189
Lake Tahoe Rise in Feet (From May 1, assuming gates closed)	May-High	1.50	142	1.06
CARSON RIVER				
East Carson near Gardnerville, NV	May-July	17.9	125	143
West Carson at Woodfords, CA	May-July	48	120	40
Carson River near Carson City, NV	May-July	175	131	134
Carson River at Fort Churchill, NV	May-July	169	137	123
WALKER RIVER				
East Walker near Bridgeport, CA ¹	May-Aug.	70	130	54
West Walker below Little Walker near Coleville, CA	May-July	152	122	125
COLORADO RIVER				
Virgin River at Virgin, UT	May-June	65	295	22
HUMBOLDT RIVER				
Lamoille Creek near Lamoille, NV	May-July	28	117	24
South Fork Humboldt near Elko, NV	May-July	60	120	50
Marys River above Hot Springs, NV	May-July	21 🦿	100	21
North Fork Humboldt at Devils Gate, NV	May-July	19	111	17
Humboldt River at Palisade, NV	May-July	150	123	122
Humboldt River at Comus, NV	May-July	112	131	85
Martin Creek near Paradise, NV	May-July	10	111	9
		S 22.2		

+ 1953-1967 period.



STREAMFLOW FORECASTS (Thousand Acre Feet) as of: FORECAST POINT	Forecast Period	Forecast This Year	This Year as Percent of Average	Average +
SNAKE RIVER			33. 3	
Owyhee River near Owyhee, NV 1	May-July	45	118	38
Owyhee River near Gold Creek, NV 1	May-July	11	137	8
SURPRISE VALLEY				
Bidwell Creek near Ft. Bidwell, CA	May-July	11.0	122	9.0
Deep Creek near Cedarville, CA	May-July	3.4	154	2.2
Eagle Creek near Eagleville, CA	May-July	5.5	144	3.8
Mill Creek near Cedarville, CA	May-July	5.3	151	3.5
1 Corrected for storage				



PEAK FLOWS (MAXIMUM MEAN DAILY) (Av. flow for 24 hrs. on day of greatest flow)

505.045.00	PEAK FLOW (SECOND F	EET)
FORECAST POINT	Forecast Range	Average +
Little Truckee River - Inflow to Stampede Reservoir	1100-1200	902
East Fork Carson River near Gardnerville,	1830-2030	1724
Carson River near Carson City, NV Carson River at Fort Churchill, NV West Walker River below Little Walker near Coleville, CA	2060-2280 1880-2080 1630-1810	1825 1 67 8 1548

FORECAST DATE of LOW FLOW VALUES

FORECAST POINT	Low Flow	Forecast Date	Average Date
	Value	Stream Will Recede	of Low Flow
	Second/ Ft.	to Low Flow Value	Value
East Carson River near Gardnerville, NV	200	7/28	7/23

SOIL MOISTURE MEASUREMENTS

	Profile	(Inches)	9	oil Moisture (Inch	es)
STATION	Depth	Capacity	Date	This Year	Average +
OWYHEE-HUMBOLDT BASIN					
Bear Creek	72	16.9	Delaye	d	-
Big Bend	48	16.7	Est.	16.0	16.4
Rodeo Flat	42	11.0	Est.	8.0	10.5
Taylor Canyon	48	15.1	Est.	13.5	14.4*
TAHOE-TRUCKEE BASIN					
Independence Camp	34	6.1	Est.	6.0	5.4*
Marlette Lake	50	3.7	Est.	3.6	3.5*
WALKER BASIN				State of the	
Sonora Pass	48	8.3	4/26	8.1	8.3*
Virginia Lakes Ridge	40	5.0	4/25	4.1	-
* Adjusted average					1052 1047



RESERVOIR STORAGE (Thousand Acre Feet) as of May 1, 1973

	756501017	Usable			
Basin or Stream	RESERVOIR	Usable Capacity	Thus Year	Last Year	Average†
Owyhee	Wild Horse	72	73	74	25
Lower Humboldt	Rye Patch	179	190	188	83
Colorado	Mohave	1,810	1,604	1,689	1,717
Colorado	Mead	27,217	20,932	17,015	16,002
Tahoe	Tahoe	732	562	582	462
Truckee	Boca	41	41	33	25
Truckee	Prosser **	30	19	13	13*
Truckee	Stampede	220	148	131	***
Carson	Lahontan	314	256	277	222
West Walker	Topaz	59	38	41	42
East Walker	Bridgeport	42	34	37	31

^{*} Adjusted average

TOTAL RESERVOIR STORAGE (Thousand Acre Feet)

монтн	This Year	Last Year	Average +
October 1	867	1038	656
January 1	917	1100	660
February 1	1025	1111	715
March 1	1093	1140	768
April 1	1153	1227	839
May 1	1194	1232	890

The above data developed from Wild Horse, Rye Patch, Tahoe, Boca, Laheritan, Topaz, and Bridgeport Reservoirs in 1,000 Acre-Fest.

TOTAL USABLE CAPACITY 1439

+ 1953-1967 period.

^{**} Flood control use allocation of 20,000 acrefeet between November 1 and April 10.

^{***} Storage began August 1, 1969




NOW COURSE MEASUREMENTS	THIS YEAR		PAST RECORD		
DRAINAGE BASIN and/or SNOW COURSE NAME	Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Cont	Average †
LAKE TAHOE Echo Summit (CA)	5/3	47	23.3	24.0	22.4
Freel Bench (CA)	4/27	.9	4.0	0.1	-
Hagans Meadow Heavenly Valley	4/26 4/26	26 62	12.6 27.6	4.1 25.2	-
Marlette Lake Upper Truckee	4/27 4/25	45 5	20.6	11.4 0.1	-
Ward Creek #2 (CA)	4/25	89	40.7	35.0	-
Ward Creek #3 (CA)	4/25	87	40.3	49.0	-
TRUCKEE RIVER					
Donner Summit (CA) Fordyce Lake (CA)	4/25 4/25	82 89	43.6 45.5	28.1 32.9	28.9 31.7*
Furnace Flat (CA)	4/25	106	49.0	41.3	39.6*
Independence Camp (CA) Independence Creek	4/26 4/26	37 21	15.8	11.5	14.4*
Independence Lake (CA)	Est.	90	40.0	39.9	34.8*
Mount Rose Ski Area Sage Hen Creek (CA)	4/26 4/26		41.9	35.9 6.4	-
Squaw Valley #2 (CA)	4/27	115	51.4	44.6	-
CARSON RIVER					
Blue Lakes	4/27	88	39.5	28.9	29.7
Carson Pass, Upper (CA)	4/25	75	38.6	34.5	31.5
WALKER RIVER	\$2				
Sonora Pass (CA)	4/26	54	26.2	16.3	18.0*
Virginia Lakes (CA) Virginia Lakes Ridge (CA)	4/25 4/25	39 47	18.1	- 11.2	13.5*
Vingilità Zakes Krage (o.t.)	1,20				
NORTHERN GREAT BASIN	200 Section 1				
Cedar Pass (CA)	4/26	41	17.0	17.6	9.8
OWYHEE RIVER					
Big Bend	4/23	12	4.3	4.1 0.0	0.9* 0.0*
Gold Creek Jack Creek, Lower	4/23 4/26	0	0.0	0.0	0.2*
Jack Creek, Upper Jacks Peak	4/26 4/26	18 72	8.0 26.1	5.3 36.6	3.5* 26.6*
Laurel Draw	4/29	1	0.3	0.0	-
Taylor Canyon	4/26	ti i	U.U		1953-1967 peri




NOW COURSE MEASUREMENTS	THIS YEAR			PAST RECORD Water Content (inches)	
DRAINAGE BASIN and/or SNOW COURSE NAME	Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Last Year	Average
CHAVE DIVED					
SNAKE RIVER					
Bear Creek	4/26	76	29.0		19.4*
Goat Creek Hummingbird Springs	4/26 4/26	58 76	21.2		18.2* 22.8*
Pole Creek Ranger Station	4/26	63		28.4	21.6*
Red Point	4/26	20	7.5	8.4a	9.0*
UPPER HUMBOLDT RIVER		i i			
Fry Canyon	4/23		0.5	0.0	1.0*
Green Mountain Lamoille #1	4/24 4/25	48 28	19.5 10.5	2.0	_
Lamoille #2	4/25	31	12.2	0.0	-
Lamoille #3	4/25	39 62	15.4	3.3	-
Lamoille #4 Lamoille #5	4/25 4/25	62 72	25.4 29.0	13.9 35.1	_
Rodeo Flat	4/23	77	2.5	0.0	1.2*
Tremewan Ranch	4/23		0.0	0.0	-
EASTERN NEVADA	2 * 63 TO 10		THE T		
Berry Creek	4/26	68	24.7	15.6	14.0*
DELAYED DATA - APRIL					
	6.65	00			3 0.0
White River	4/4	26	8.6	0.0	1.0*
		7			
	NO	TE:			
	All	overages bas	through tule	Il unless of	Lamuica
		erial marker; we	ater content es	timated. * 19	53-67 adjust






MAY




0 20 JANUARY FEBRUARY


DECEMBER









U.S.D.A. SOIL CONSERVATION SERVICE DAILY RADIO REPORTS BY AUTOMATIC SNOW MEASURING STATION
















Agencies Cooperating in Collecting Data Contained in this Bulletin

FEDERAL

Agricultural Research Service
Bureau af Reclamatian
Fish and Wildlife Service
Farest Service
Geolagical Survey
Navy
Sail Canservatian Service
U. S. District Caurt - Federal Water Master
NOAA, National Weather Service

STATE

Califarnia Caaperative Snow Surveys
California Department af Parks and Recreation
Califarnia Department af Water Resaurces
Colorada River Cammissian af Nevada
Idaha Caaperative Snow Surveys
Nevada Association af Conservation Districts
Nevada Department af Conservation & Natural Resaurces
Division af Water Resaurces
Nevada State Farester
Oregan Coaperative Snow Surveys
Utah Cooperative Snow Surveys
White Mauntain Research Station, Univ. af Califarnia

PRIVATE

Amalgamated Sugar Campany
Kennecott Copper Carparatian
Nevada Irrigatian District
Owyhee Project North Board of Contral
Owyhee Praject South Baard af Cantral
Pacific Gas and Electric Campany
Pershing Caunty Water Canservatian District
Sierra Pacific Power Campany
Iruckee-Carson Irrigation District
Walker River Irrigation District
Washoe Caunty Water Conservancy District

Other arganizations and individuals furnish valuable infarmation for the snaw survey reports. Their Cooperation is gratefully acknowledged.

P.O. BOX 4850 RENO, NEVADA 89505

OFFICIAL BUSINESS PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF
AGRICULTURE



FEDERAL - STATE - PRIVATE

COOPERATIVE SNOW SURVEYS

domestic and municipal water supply, hydro-electric power water supply for irrigation, necessary for forecasting generation, navigation, Furnishes the basic data mining and industry

"The Conservation of Water begins with the Snow Survey"